




MAC3





Repère	Référence	Qte	Désignation	Designation	Designación
1	MAC3AP05217	1	Poignée	Handle	Empuñadura
2	MAC3AP01839	2	Bouchon	Plug	Tapa
3	MAC3AP03940	1	Soupape	Valve	Válvula
4	MAC3AS09868	1	Joint	O-ring	Junta
5	MAC3AS09869	1	Joint	O-ring	Junta
6	MAC3AP00841	1	Ressort	Spring	Muelle
7	MAC3AP04693	1	Mamelon	Nipple	Racor
8	MAC3AP03941	1	Gâchette	Trigger	Gatillo
9	MAC3AS01999	1	Goupille	Pin	Eje
10	MAC3AS02075	2	Goupille	Pin	Eje
11	MAC3AS05222	1	Joint	O-ring	Junta
12	MAC3AS09871	1	Joint	O-ring	Junta
13	MAC3AP05218	1	Siège de frappe	Seat	Silla de impacto
14	MAC3AP05227	1	Pastille	Insert	Pastilla
15	MAC3AS09871	1	Joint	O-ring	Junta
16	MAC3AP04581	1	Cylindre	Cylinder	Cilindro
17	MAC3AP00838	1	Bouchon	Plug	Tapa
18	MAC3AP01827	1	Piston	Piston	Pistón
19	MAC3AP01832	1	Atténuateur	Muffler	Mufla
20	MAC3AP01961	1	Manchon	Fronthead	Mango revestimiento
21	MAC3AP01956	1	Ressort	Spring	Muelle
22	MAC3AP01955	1	Taquet	Dog	Tope
23	MAC3AP01954	1	Loquet	Latch	Pestillo
24	MAC3AS01957	1	Goupille	Pin	Eje
25	MAC3AS01958	1	Goupille	Pin	Eje
26	MAC3AS05164	2	Vis	Screw	Tornillo
27	MAC3AS05165	2	Rondelle	Washer	Arandela

KIT		Kit Pour Réparation	Repair Kit	Kit de Reparación
A	MAC3KS05287	Kit Poignée complète	Complete handle Kit	Empuñadura completa
		1, 2(x2), 3, 4, 5, 6, 7, 8, 9		
B	MAC3KS04069	Kit Soupape	Valve Kit	Válvula
		3, 4, 5, 6		
C	MAC3KS04067	Kit Gâchette	Trigger Kit	Gatillo
		8, 9		
D	MAC3KS05288	Kit Distribution	Inlet valve Kit	Distribución
		10, 11, 12, 13, 14, 15		
E	MAC3KS03730	Kit Vis	Screw Kit	Tornillo
		26(x2), 27(x2)		
F	MAC3KS02136	Kit Loquet	Latch Kit	Pestillo
		21, 22, 23, 24, 25		

Emmanchement / Shank size / Enmangadura (mm / In)	Poids / Weight / Peso (Kg / Lb)	Longueur / Length / Longitud (mm / In)
H 22x82 - H 7/8" x 3 1/4"	12.8 – 28.2	507 – 20"

CARACTERISTIQUES	
Alésage / Bore / Escariado (mm / In)	Ø36 - 1 3/8"
Course piston / Piston stroke / Carrera del piston (mm / In)	124 - 4 7/8"
Cadence de frappe / Impact rate / Golpes por minuto (cps/min / B.P.M.)	1800
Pression / Pressure / Presion (Bar / Psi)	6 - 87
Consommation / Air consumption / Consumo de aire (l/mm / CMF)	1100 - 38.8
Flexible / Hose / Manguera (mm / In)	Ø19 - Ø3/4"

