



MAC3





Repère	Référence	Qte	Désignation	Designation	Designación
1	MAC3AP04255	1	Poignée	Handle	Empuñadura
2	MAC3AP03505	1	Soupape	Valve	Válvula
3	MAC3AS00886	1	Joint	O-ring	Junta
4	MAC3AP00890	1	Ressort	Spring	Muelle
5	MAC3AP03552	1	Mamelon	Nipple	Racor
6	MAC3AP03559	1	Garniture	Grip	Agarre
7	MAC3AP03559	1	Garniture	Grip	Agarre
8	MAC3AP03531	1	Gâchette	Trigger	Gatillo
9	MAC3AS05411	2	Goupille	Pin	Eje
10	MAC3AP03503	1	Bouclier	Shield	Protección
11	MAC3AP03389	1	Joint	O-ring	Junta
12	MAC3AP03390	1	Siège de frappe	Seat	Silla de impacto
13	MAC3AP03391	1	Plaque d'épaisseur	Shimplate	Placa
14	MAC3AP03558	1	Pastille	Insert	Pastilla
15	MAC3AP03393	1	Siège de relève	Up-Seat	Silla de levantada
16	MAC3AP04125	1	Cylindre H22x82	Cylinder H7/8"x3 ¼"	Cilindro H7/8"x3 ¼"
	MAC3AP04107		Cylindre H25x108	Cylinder H1"x4 ¼"	Cilindro H1"x4 ¼"
17	MAC3AP01839	1	Bouchon	Plug	Tapa
18	MAC3AP04116	1	Piston	Piston	Pistón
19	MAC3AP01996	1	Atténuateur	Muffler	Mufla
20	MAC3AP01961	1	Manchon H22x82	Fronthead H22x82	Mango H22x82
	MAC3AP04705		Manchon H25x108	Fronthead H25x108	Mango H25x108
21	MAC3AP01956	1	Ressort	Spring	Muelle
22	MAC3AP01955	1	Taquet	Dog	Tope
23	MAC3AP01954	1	Loquet	Latch	Pestillo
24	MAC3AS01957	1	Goupille	Pin	Eje
25	MAC3AS01958	1	Goupille	Pin	Eje
26	MAC3AS04584	1	Goupille	Pin	Eje
27	MAC3AS05165	4	Rondelle	Washer	Arandela
28	MAC2AS09665	4	Vis	Screw	Tornillo
29	MAC3AP03550	1	Manchette US	Hose Coupling	Manguera

KIT		Kit Pour Réparation	Repair Kit	Kit de Reparación
A	MAC3KS03755	Kit Poignée complète	Complete handle Kit	Kit Empuñadura completa
		1, 2, 3, 4, 5, 6, 7, 8, 9		
B	MAC3KS03704	Kit Soupape	Valve Kit	Kit Válvula
		2, 3, 4		
C	MAC3KS03752	Kit Gâchette	Trigger Kit	Kit Gatillo
		8, 9(x2)		
D	MAC3KS04281	Kit Distribution	Inlet valve Kit	Kit Distribución
		10, 11, 12, 13, 14, 15		
E	MAC3KS09839	Kit Vis	Screw Kit	Kit Tornillo
		27(x4), 28(x4)		
F	MAC3KS02136	Kit Loquet	Latch Kit	Kit Pestillo
		21, 22, 23, 24, 25		

Emmanchement / Shank size / Enmangadura (mm / In)	Poids / Weight / Peso (Kg / Lb)	Longueur / Length / Longitud (mm / In)
H 22x82 - H 7/8"x 3 ¼"	19.8 – 43.7	570 – 22 ½"
H 25x108 - H 1"x 4 ¼"	20.2 – 44.5	596 – 23 ½"

CARACTERISTIQUES	
Alésage / Bore / Escariado (mm / In)	Ø42 - 1 5/8"
Course piston / Piston stroke / Carrera del piston (mm / In)	130 - 5"
Cadence de frappe / Impact rate / Golpes por minuto (cps/min / BPM)	1300
Pression / Pressure / Presion (Bar / psi)	6 - 87
Consommation / Air consumption / Consumo de aire (l/mm / cfm)	1200 - 42.4
Flexible / Hose / Manguera (mm / In)	Ø19 - Ø3/4"

